



Claridge®

CORE PRODUCT OFFERINGS

2023 CATALOG



For years, the Claridge name has been synonymous with quality, service and innovation.

Our products can be found in gleaming new offices, prestigious colleges and universities, respected hospitals and schools across the country. Claridge offers a complete set of solutions for the new world of work – no matter what type of work you do.

From the workplace to the classroom, the emphasis today is on performance, productivity, and a pleasing environment. Claridge visual display products and accessories offer unmatched performance and high style. A state-of-the-art production facility enables our skilled team to control quality at every step in the process. In addition to offering a broad selection of standard colors, surfaces and finishes, we can custom-craft most products to perfectly suit any space or task. Let our friendly and knowledgeable customer service staff help you create exactly what you need.

For custom product orders, Claridge Priority Response and On-Time Shipping provide a firm ship date.

We also conduct a number of “green” initiatives—from in-house recycling programs to using renewable resources and alternative materials—to reduce our environmental footprint and minimize exposure to harmful substances. We listen and react to our customers’ needs and concerns.

At Claridge, we work to earn your trust and satisfaction from start to finish. That’s the way we do business — today and always.

Weights in the catalog are estimates only and can vary with method of packing.

contents

The Claridge Catalog is organized by product line. Detailed outlines of product specifications, ADDs, and additional options are designed to help you select the ideal product to suit your needs. Main product options (colors, surfaces, trims and finishes) are highlighted on pages 6 and 7 for markerboard and tackboard products.

ORDERING DETAILS 4

MARKERBOARDS, CHALKBOARDS, AND TACKBOARDS

Colors & Frame Options 6
Tackboard Surface Options 7
Glass Markerboards 8
LCS Deluxe 9
800 Series 10
Aluminum Framed 11-12
Xchange and Custom Graphic 13
Wood Framed 14-15
Edge-Wrapped 15

MARKER WALLS & TACK WALLS 16

MOBILE BOARDS 17-18

HORIZONTAL SLIDING UNITS 19

GLASS DOOR CABINETS

Aluminum Frame 20-23
Wood Frame 24
Header Panel 24

DISPLAY & TROPHY CASES

Freestanding 25-26
Wall Mounted 27
Recessed 28

CONFERENCE ROOM TOOLS

Lecture Cabinets 29
Lecterns 30
Folding Screens 30

ACCESSORIES & MISCELLANEOUS

Map, Display Rail 30-31
Screw-In Trim and Miscellaneous 32
Markerboard & Chalkboard Accessories 33

MATERIALS & FINISHES

Face Sheets & Panels 34
Claridge Cork 35
Guilford of Maine Fabrics 35
Fabricork 36
Tan Nucork 36
Hook-Fab 37
Wood & Aluminum Finishes 38

COMMERCIAL TERMS & CONDITIONS 39

ordering details

Customized Product Solutions

Draw up a design, talk with our helpful staff, and we'll build your vision. Claridge specializes in creating products to suit any situation and environment. From custom match wood finishes, colors, and fabric surfaces to markerboards and cabinets built to fit a unique space, we offer made-to-order solutions for any business need.

Claridge Priority Response

At Claridge, we believe that custom orders merit custom service – including fast shipment. With Claridge Priority Response (CPR) we guarantee your order for custom products will be shipped in three weeks, two weeks, or even one week, based on the level of CPR service selected. In the unlikely event that a delay occurs, we pay you a 10% penalty for every day of delayed shipment. Why wait to put your custom Claridge solutions to work? With CPR, you don't have to! Talk to a customer service representative for available options.

On-time Shipping

Claridge's On-Time Shipping helps customers plan and manage schedules more effectively – and meet expectations for timely shipment of quality products. For standard or made-to-order products, a projected shipping date is normally provided within 72 hours of receipt of order. Flexibility built into custom manufacturing systems, coupled with an ability to coordinate and manage process flow, results in consistent on-time shipments that customers can rely on.

Total Fulfillment Solution

For 75 years, Claridge has been the leader in quality, craftsmanship and customer service. Our Total Fulfillment Solution provides three ways to better serve our customers: 1) On-Time Shipping—Orders for custom and made-to-order products are normally acknowledged in 72 hours. 2) CPR – When time is of the essence, you choose whether your order ships in one week, two weeks or three, just let us know. Claridge is your #1 source for Visual Display Products!

Environmental Practices

Claridge is committed to protecting and preserving our natural environment through a variety of ongoing programs. Claridge markerboard surfaces have achieved both GREENGUARD Certification and GREENGUARD Gold Certification. GREENGUARD Certification helps fulfill the goal of creating and maintaining healthy, high-performing buildings, schools and residences. Claridge Cork is made from the bark of cork oak trees without damaging the tree itself—making it both rapidly renewable and recyclable. Claridge carton and crating materials are composed of post-industrial and recycled materials. Tons of material are eliminated from the landfill waste stream through Claridge in-house recycling programs.

Ordering Tips

Orders may be faxed or e-mailed to the Claridge location nearest you (see back cover for a listing of Claridge sales offices), or e-mailed to orders@claridgeproducts.com for proper routing. Specify type of material and color, trim finish, and size on all orders. Also include contact and billing information – name, telephone number and e-mail address, along with billing and shipping addresses, and purchase order. Specify if expedited shipping (CPR) is required.

Shop Drawings

Shop drawings may be required for custom lined and lettered markerboards, vertical sliding units, and other special, custom designed products. Shop drawings will be furnished at a charge of \$50 NET per hour, with a minimum one hour charge.

Ground Shipments

Most items up to and including 36" x 48" and not over 100 lbs. can be shipped by UPS. (Note: Dimensional weight, rather than actual weight, and oversize charges may apply.) Catalog indicates freight classification for LTL shipments and items that will be shipped by UPS.

Contact Us

CLARIDGE PRODUCTS AND EQUIPMENT, INC.

Headquarters
480 Wrangler Drive, Suite 200
Coppell, TX 75019
claridge@claridgeproducts.com

Phone: (972) 848-7436
Toll Free: (800) 434-4610
claridgeproducts.com



Contract Holder

Contract #GS-28F-0042U

Schedule Title: Office Furniture FSC Group 71 Part 1

MARKERBOARDS, CHALKBOARDS & TACKBOARDS


Claridge markerboard and chalkboard products are available in a wide range of design options, offering performance, style, and value to suit any situation. Choose from glass or porcelain markerboard and chalkboard surfaces in a variety of colors to add a touch of design flair. Select from a range of aluminum, vinyl, and wood trim options in a variety of colors and finishes to match any decor and budget.

Claridge tackboard products are available in a wide range of design options, offering performance, style, and value to suit any situation. Choose from Claridge Cork, Tan Nucork, Fabricork, Guilford of Maine FR701 Fabric, and Hook-Fab surfaces to match any room and budget. Select from a range of aluminum and wood trim options in a variety of colors and finishes.

Call Claridge customer service at 1-800-434-4610 for assistance with any custom options not covered in the catalog.



WRITING SURFACES:




LCS
 · Porcelain enamel steel
 · Smooth, dry-erase porcelain surface for easy writing and clean erasing
 · Porcelain surface can be used for projection

Chalkboard
 · Porcelain enamel steel
 · Smooth surface insures unsurpassed chalking and erasing qualities

Magnetic Glass
 · 1/4" tempered glass
 · Silky smooth surface writes easily, erases cleanly
 · Virtually maintenance free

MARKERBOARDS: COLOR OPTIONS




100 White 101 Light Gray 102 Beige 1032 MLC

CHALKBOARDS: COLOR OPTIONS



500 Green 501 Black 502 Gray

MAGNETIC GLASS MARKERBOARDS: STANDARD COLOR OPTIONS



Brilliant White Calm White RAL1015 PMS 468 Light Ivory RAL7047 PMS CGray 3 Telegrey RAL7004 PMS CGray 7 Signal Gray RAL6027 PMS 564 Light Green RAL4005 PMS 7676 Blue Lilac RAL5012 PMS 7689 Light Blue RAL2008 PMS 7578 Bright Red Orange RAL3003 PMS 1815 Ruby Red

FRAMES: STYLE OPTIONS

Anodized Aluminum



3/8" Face Mitered Corners
 Envision Graphics Merit Series



5/8" Face Mitered Corners
 LCS Deluxe I 800 Series



1" Face Mitered Corners
 Trimline



1-1/4" Face Mitered Corners
 1300 Series 900A Series

Wood: See page 48 for wood finishes



1-3/4" Face Mitered Corners



1" Face Mitered Corners



2" Angle Face Mitered Corners



1-7/16" Traditional Face Mitered Corners



1" Bullnose Face Radius Corners




1-3/4" Flat Face Radius Corners
 2900 Series



2" Concave Face Mitered Corners

CLARIDGE CORK:
COLOR OPTIONS



1108 Mushroom



1109 Buff



1110 Fawn



1100 Tan



1104 Cinnamon




1103 Oyster




1111 Smoke



1113 Steel Gray



1136 Graphite




1132 Black

NUCORK:



Tan




1117 Salsa




1118 Tangerine



1119 Pineapple




1120 Lettuce




1129 Blueberry


GUILFORD OF MAINE FR701 FABRICS:
COLOR OPTIONS




1684 Black




1686 Dark Pearl




1689 Wedgewood



1690 Grey Mix




1691 Quartz




1683 Silver




1692 Wheat




1681 Cement Mix




1685 Flannel



1688 Cobalt



1693 Sunshine



1680 Lime




1679 Cardinal

FABRICORK:
COLOR OPTIONS



KV216 Ecru



KV230 Oyster




KV233 Driftwood



KV237 Curry



KV241 Wheat Straw




KB662 Gray




KB290 Sterling



KL404 Dorset




KL412 Ancestral




KL483 Downing Stone




KL490 Rectory



KL498 Winthrop



KB661 Dawn




KB664 Antique



KE510 Runway




KE522 Innocent




KE584 Power



KE591 Counselor



KE592 Gentleman Gray



KB278 Pacific

HOO-K-FAB:



976 Black

Magnetic Glass Markerboard



Stand-Off Mount



Invisi-Mount

Features:

- 1/4" tempered low-iron glass dry-erase writing surface with steel back
- Eased corners and polished edges
- Furnished with 4 rare earth magnets
- Choose brushed stainless edge grips for easy and attractive stand-off mounting (4 per board on sizes through 4x4; 4x6 & 4x8 have 6) or invisimount – no visible hardware
- Furnished in brilliant white if no color specified. 10 standard colors, 180 optional colors.

Stand-Off Mounting	Number	Size (HxW)	Weight*
	MGM23	2' x 3'	42 lbs.
	MGM34	3' x 4'	84 lbs.
	MGM44	4' x 4'	112 lbs.
	MGM46	4' x 6'	168 lbs.
	MGM48	4' x 8'	224 lbs.

Invisi-Mount	Number	Size (HxW)	Weight*
	MGMI-23	2' x 3'	42 lbs.
	MGMI-34	3' x 4'	84 lbs.
	MGMI-44	4' x 4'	112 lbs.
	MGMI-46	4' x 6'	168 lbs.
	MGMI-48	4' x 8'	224 lbs.

Note: Specify on order if glass boards are to be installed edge-to-edge.

*Weights shown are estimates only and may vary with packing method.

Glass Markerboard



Features:

- 1/4" tempered glass writing surface with acid etch back
- Polished edges
- Brushed stainless edge grips for stand-off mounting (4 per board on sizes through 4x4; 4x6 & 4x8 have 6)

Number	Size (HxW)	Weight
GM44	4' x 4'	104 lbs.
GM46	4' x 6'	156 lbs.

All items on this page ship Freight Class 70.

LCS Deluxe Markerboard: 5/8" Face Trim



Features:

- Projection-friendly white porcelain enamel steel writing surface
- 5/8" face trim 3 sides with full length 2-1/2" marker tray; satin anodize finish
- Angle clip hangers
- Available with map rail with 2 map hooks
- 4 assorted LCS markers and 1 microfiber eraser cloth
- GREENGUARD certified

With Map Rail	Number	Size (HxW)	Weight
	LCS2034R	3' x 4'	42 lbs.
	LCS2044R	4' x 4'	56 lbs.
	LCS2046R	4' x 6'	84 lbs.
	LCS2048R	4' x 8'	112 lbs.
	LCS2410R	4' x 10'	140 lbs.
	LCS2412R	4' x 12'	168 lbs.
	LCS2416R	4' x 16'	224 lbs.

No Map Rail	Number	Size (HxW)	Weight
	LCS2034	3' x 4'	42 lbs.
	LCS2044	4' x 4'	56 lbs.
	LCS2046	4' x 6'	84 lbs.
	LCS2048	4' x 8'	112 lbs.
	LCS2410	4' x 10'	140 lbs.
	LCS2412	4' x 12'	168 lbs.
	LCS2416	4' x 16'	224 lbs.

LCS Deluxe Combo: 1-3/4" Face Trim



Features:

- White porcelain enamel markerboard writing surface on the left; natural tan nucork tack surface on the right
- Natural Oak finish perimeter trim and marker tray
- Z-bar clips
- 4 Assorted LCS Markers and 1 microfiber eraser cloth

Options:

- For Medium Finish Oak frame, specify ADD and add \$18.60. Other optional wood finishes shown on page 38. If required, specify ADD and add \$105.

Number	Size (HxW)	Weight
LCS1044	4' x 4'	32 lbs.

All items on this page ship Freight Class 70.

800 Series: 5/8" Face Trim



Available in Markerboard and Chalkboard

Features:

- Porcelain enamel steel writing surface; satin anodize aluminum trim
- White LCS is furnished for markerboards if color not specified. For 800 Series chalkboards, use a "V" suffix in lieu of "L" and specify the chalkboard color required.
Example: 822V No. 500 Green.
- Full length marker tray and map rail with 2 map hooks
- Angle clip hangers (*For permanent installations we recommend using a combination of angle clips and 16A Adhesive.*)
- GREENGUARD certified

Options:


- See page 38 for powder coat finish colors, available at additional charge
- For optional color anodized trim, call for price
- Custom sizes

Markerboard / Chalkboard	Number	Size (HxW)	Weight
	† 810L	18" x 24"	10 lbs.
	† 812L	2' x 3'	21 lbs.
	814L	3' x 4'	42 lbs.
	818L	4' x 4'	56 lbs.
	820L	4' x 5'	70 lbs.
	822L	4' x 6'	84 lbs.
	826L	4' x 8'	112 lbs.
	830L	4' x 10'	140 lbs.
	834L	4' x 12'	168 lbs.
	838L	4' x 16'	224 lbs.

Note: Finished size of units is 1/4" larger in both height and width than sizes listed. If exact overall size is required, specify when ordering.

800 Series markerboards are also available in 5' x 6', 5' x 8', 5' x 10' and 5' x 12' sizes. Call for pricing.

800 Series Tackboard: 5/8" Face Trim



Guilford of Maine FR701 Fabric, Fabricork and Tan Nucork tackboards weigh approx. 1.25 lbs. per sq. ft.; Claridge Cork tackboards weigh approx. 3 lbs. per sq. ft.

800 Series and tackboards in Fabricork and Guilford of Maine FR701 Fabric are GREENGUARD certified.

Features:

- Choose from Claridge Cork, Guilford Fabric, Fabricork, or Tan Nucork.
- Satin anodize aluminum trim
- Angle clip hangers (*Note: We recommend installation using a combination of angle clips and 16A Adhesive*)


Options:

- See page 38 for powder coat finish colors, available at additional charge

Size (HxW)	Claridge Cork Number	Guilford Fabric Number	Fabricork Number	Tan Nucork Number
18" x 24"	† 837CC	† 837D	† 837F	† 837N
2' x 3'	† 839CC	† 839D	† 839F	† 839N
3' x 4'	† 840CC	† 840D	† 840F	† 840N
4' x 4'	844CC	844D	844F	844N
4' x 6'	852CC	852D	852F	852N
4' x 8'	858CC	858D	858F	858N
4' x 10'	862CC	862D	862F	862N
4' x 12'	864CC	864D	864F	864N
4' x 16'	866CC	866D	866F	866N

† Can Ship UPS Ground. All items on this page ship Freight Class 70.

800 Series Type BR/BL: 5/8" Face Trim



Shown with Optional Powder Coat Finish

Type BR/BL units with Fabricork and Guilford of Maine FR701 Fabric weigh approx. 2 lbs. per sq. ft.; Claridge Cork, approx. 3 lbs. per sq. ft. To specify the writing surface portion, add L or V after the number: L for LCS Markerboard, V for Chalkboard
To select tack surface add N, D, F, or CC after the writing surface suffix: N for Tan Nucork, D for Fabric, F for Fabricork, CC for Claridge Cork
Note: Finished size of units is 1/4" larger in height and width than sizes listed. If exact overall size required, specify when ordering.

Features:


- Type BR/BL Combination features porcelain enamel steel markerboard or chalkboard writing surface and your choice of Tan Nucork, Fabricork, Guilford of Maine FR701 Fabric, or Claridge Cork tack surface
- Specify width of writing surface and whether it is on the right or the left. Type BR has the bulletin board on the right; Type BL has bulletin board on the left.
- Satin anodize aluminum trim
- Full length accessory tray, map rail with cork insert, and map hooks
- Angle clip hangers (Note: For permanent installation we recommend using a combination of 16A Adhesive and angle clips.)

Options:

- See page 38 for powder coat finish colors, available at additional charge

Number	Size
864	4' x 4'
868	4' x 6'
872	4' x 8'

900A Tackboard: 1-1/4" Face Trim



Features:

- Natural Tan Nucork reinforced with sturdy back panels
- Satin anodize trim
- Keyhole hangers

Number	Size (HxW)	Weight
953A	3' x 5'	19 lbs.
958A	4' x 4'	20 lbs.
959A	4' x 5'	25 lbs.
960A	4' x 6'	30 lbs.
962A	4' x 8'	40 lbs.
963A	4' x 10'	50 lbs.
964A	4' x 12'	60 lbs.

All items on this page ship Freight Class 70.

Trimline Plus: 1" Face Trim




Features:

- White porcelain enamel steel writing surface
- 1" eased face aluminum trim on three sides with small marker tray
- 2 markers and 1 eraser cloth
- GREENGUARD Certified

Satin Anodize Trim	Number	Size (HxW)	Weight
	† TL1824-75	18" x 24"	8 lbs.
	† TL2023-75	2' x 3'	15 lbs.
	† TL2034-75	3' x 4'	28 lbs.
	TL2044-75	4' x 4'	40 lbs.
	TL2046-75	4' x 6'	60 lbs.
	TL2048-75	4' x 8'	80 lbs.

Trimline MLC: 1" Face Trim




Features:

- Economical white melamine surface
- Available with and without map rail
- Aluminum trim on three sides with small marker tray, 2 markers and 1 eraser cloth

No Map Rail	Number	Size (HxW)	Weight
	† TL2023-MLC	2' x 3'	10 lbs.
	† TL2034-MLC	3' x 4'	18 lbs.
	TL2044-MLC	4' x 4'	30 lbs.
	TL2046-MLC	4' x 6'	40 lbs.
	TL2048-MLC	4' x 8'	54 lbs.

With Map Rail	Number	Size (HxW)	Weight
	† TL2023R-MLC	2' x 3'	10 lbs.
	† TL2034R-MLC	3' x 4'	18 lbs.
	TL2044R-MLC	4' x 4'	30 lbs.
	TL2046R-MLC	4' x 6'	40 lbs.
	TL2048R-MLC	4' x 8'	54 lbs.

Merit Series: 3/8" Face Trim



Features:

- White porcelain enamel steel writing surface
- Satin anodize aluminum trim
- Z-bar clips

Number	Size (HxW)	Weight
† MT2436	24" x 36"	16 lbs.
† MT3648	36" x 48"	32 lbs.

† Can Ship UPS Ground. All items on this page ship Freight Class 70.

Xchange Graphic Boards



Features:

- Glass markerboard features an interchangeable graphic insert that slides easily behind clear, low-iron tempered glass writing surface
- Exchange scene, season or message by sliding custom graphic in place
- Low profile aluminum trim top and bottom
- Built-in marker rail at top
- Standard black or white powder coat finish

Number followed by
B = black frame
W = white frame

Additional Xchange Graphic Insert

Number	Size (HxW)	Weight
XC1824B / XC1824W	18" x 24"	20 lbs.
XC2436B / XC2436W	24" x 36"	39 lbs.
XC3648B / XC3648W	36" x 48"	78 lbs.

Number	Size (HxW)	Weight
XCG1824	18" x 24"	1 lb.
XCG2436	24" x 36"	2 lbs.
XCG3648	36" x 48"	4 lbs.

NOTE: For Xchange Graphic Insert, submit high-resolution logos or graphic file. Images or logos should be submitted in high-resolution .jpeg, .pdf, .eps, or .ai format. If usable file is unavailable, ADD \$50 NET per hour - minimum one-hour charge - for creating graphics.

Envision Graphics: 3/8" Face Trim



Features:


- Dry-erase markerboards with full-color, high resolution images
- Satin anodize aluminum frame
- Z-bar clips
- Will accept magnets

Number	Size (HxW)	Weight
† EG1824M	18" x 24"	6 lbs.
† EG2023M	2' x 3'	12 lbs.
† EG2034M	3' x 4'	24 lbs.
EG2044M	4' x 4'	32 lbs.
EG2046M	4' x 6'	48 lbs.
EG2048M	4' x 8'	64 lbs.

NOTE: For Envision Graphic markerboards, submit high-resolution logos or graphic file. Images or logos should be submitted in high-resolution .jpeg, .pdf, .eps, or .ai format. If usable file is unavailable, ADD \$50 NET per hour - minimum one-hour charge - for creating graphics.

† Can Ship UPS Ground. All items on this page ship Freight Class 70.

2900: 1-3/4" Flat Face Trim, Radius Corners



Available in both markerboard and chalkboard

Features:

- Porcelain enamel steel writing surface; Natural or Medium Oak finish trim
- White LCS is furnished for markerboards if color not specified (see page 6 for colors). For 2900 Series chalkboards, use a "V" suffix in lieu of "L" and specify chalkboard color required. Example: 2948V No. 502 Gray.
- 12" pre-drilled marker tray
- Z-bar clips
- GREENGUARD certified

Options:

- See page 38 for optional woods and finishes.
- Custom match finish available
- Optional Z-bar hangers for top of board and rubber bumpers for bottom of board available.

Number	Size (HxW)	Weight
† 2923L	2' x 3'	21 lbs.
† 2934L	3' x 4'	42 lbs.

WLCS Series: 1-3/4" Face Trim



Features:

- White porcelain enamel steel writing surface; Natural finish oak frame
- Z-bar clips
- 4 Assorted LCS Markers and one eraser cloth
- GREENGUARD certified

Options:

- Medium Oak finish available
- See page 38 for additional woods and finishes

Number	Size (HxW)	Weight
WLCS44	4' x 4'	56 lbs.
WLCS46	4' x 6'	84 lbs.
WLCS48	4' x 8'	112 lbs.
WLCS410	4' x 10'	140 lbs.

213 Series: 2" Angle Face Trim with Black Accent



Features:

- Tackable surface in Claridge Cork; see page 7 for color selections
- Specify finish – Natural or Medium Oak
- Full length Z-bar hanger at top

Options:

- See page 38 for wood finish options
- Custom match finish available

Size (HxW)	Weight *	Number
4' x 4'	48 lbs	213
4' x 6'	72 lbs	213A
4' x 8'	96 lbs.	213B
4' x 10'	120 lbs.	213C
4' x 12'	144 lbs	213D

Specify tack surface material after model number: CC for Claridge Cork.

† Can Ship UPS Ground. All items on this page ship Freight Class 70.

WLCS Series 700: 1-3/4" Face Trim



700 Series tackboards in Fabriccork and Guilford of Maine FR701 Fabric are GREENGUARD certified.

Guilford of Maine FR701 Fabric, Fabriccork and Tan Nucork tackboards weigh approximately 1.25 lbs. per sq. ft.; Claridge Cork tackboards weigh 3 lbs. per sq.ft.

Features:

- Choose from tackable surface in Guilford of Maine FR701 Fabric, Fabriccork, Claridge Cork, and Tan Nucork. See page 7 for color options.
- Natural Oak finish trim
- Z-bar clips at top

Options:

- Medium Oak finish trim available. Optional wood finishes shown on page 38.
- Custom match finish available
- Optional round corners available

Size (HxW)	Claridge Cork Number	Guilford Fabric Number	Fabriccork Number	Tan Nucork Number
2' x 3'	† 750CC	† 750D	† 750F	† 750N
3' x 4'	† 751CC	† 751D	† 751F	† 751N
4' x 4'	757CC	757D	757F	757N
4' x 6'	759CC	759D	759F	759N
4' x 8'	760CC	760D	760F	760N

3300 Series: Edge-wrapped Tackboards for Furniture Applications




Features:

- Guilford of Maine FR701 Fabric or Fabriccork tackboards are designed to fit almost any manufacturer's hutch, file cabinet, or bookcase
- Use as a tackable surface, for sound absorption, or simply to add color
- Tackable panels have square corners, fabric wrapped edges and are furnished with hook and loop hole hangers

Options:

- Adhesive is recommended for permanent installation
- Customer owned material for vertical surfaces can be used



Edge-wrapped Square Corners


Number	Size (HxW)	Weight
† 3327D	15" x 27"	6 lbs.
† 3333D	15" x 33"	8 lbs.
† 3345D	15" x 45"	10 lbs.
3357D	15" x 57"	13 lbs.
3367D	15" x 67"	15 lbs.
3369D	15" x 69"	18 lbs.

3400 Series: Fabric Wrapped Edges, Radius Corners



Features:

- Tackable surface in Guilford of Maine FR701 Fabric; specify color
- Fabric wrapped panels have 2" radius corners
- Eyelet hangers for easy installation



Edge-wrapped 2" Radius Corners



Eyelet hanger

Number	Size (HxW)	Weight
† 3423D	2' x 3'	8 lbs.
† 3434D	3' x 4'	15 lbs.
3444D	4' x 4'	20 lbs.
3446D	4' x 6'	30 lbs.
3448D	4' x 8'	40 lbs.


† Can Ship UPS Ground. All items on this page ship Freight Class 70.

MARKER WALLS & TACK WALLS

Note: These products must be installed by qualified installers. Call Claridge for install price or referral.

Cover an entire wall, floor-to-ceiling. Claridge Marker Walls and Tack Walls are available in a wide range of design options, offering performance, style, and value to suit any situation. Panels butt together for a continuous surface.

Call Claridge customer service at 1-800-434-4610 for assistance with any custom options not covered in the catalog.



Marker Walls




Features:

- Cover an entire wall, floor-to-ceiling, in heights up to 10'
- Ideal for offices, boardrooms, conference rooms, etc. – any where ideas are shared
- Panels butt together for a continuous writing surface
- Standard installation consists of LCS (Porcelain Enamel Steel Skin) matched butt joints and No. 18 adhesive. (Laminated panels recommended for use on uneven walls.)
- Individual panels available in heights up to 10' and lengths up to 3'11-1/2"
- See page 6 for color options

Number	Description
MW1	LCS Steel Skins with matched butt joints and No. 18 Adhesive
MW2	LCS panels mounted on 7/16" MDF with moisture barrier back and alum spline joints, 1 1/6" face trim
MW3	LCS panels mounted on 7/16" MDF with moisture barrier back and alum spline joints, 3/4" face trim

Note: If installation to floor is not required, 264 marker tray can be used at bottom of marker walls. Ask about MW1 installations using 272F trim. 5" wide panels available, call for pricing

Tack Walls



Features:

- Cover an entire wall or work space, floor-to-ceiling, in heights up to 10'
- Ideal for offices, boardrooms, conference rooms, etc. – view lengthy schedules and project planners at a glance
- Standard installation consists of Fabricork or Guilford of Maine FR701 Fabric with edges wrapped and No. 16A Adhesive.
- For a more finished look, order panels with fabric covered trim, fabric covered H-Bar joints, and fabric covered inside and outside corners
- Panels can be custom-made to fit existing walls
- Individual panels available in heights up to 10' and lengths up to 4'
- See page 7 for Fabricork and Fabric color options

Number	Description
TW1F	Edge-Wrapped Fabricork on duracore and 16A Adhesive
TW1D	Edge-wrapped Guilford Fabric on duracore and 16A Adhesive
TW2F	Fabricork on duracore panel, 1016FC fabric covered trim, fabric covered H-Bar and 16A Adhesive
TW2C	Claridge Cork on MDF, 1016 and H-Bar and 16A adhesive
TW2D	Guilford of Maine FR701 fabric on duracore panel, 1016FC fabric covered trim and H-Bar and 16A adhesive



Premiere Series Reversible Mobile Board



Features:


- Porcelain enamel steel dry-erase markerboard; or a combination with markerboard writing surface one side and Tan Nucork on the other side; also available with chalkboard
- Substantially constructed with either satin anodize aluminum frame or Natural Oak finish wood frame
- Panel revolves horizontally; metal locking device holds board at desired angle
- 2 locking and 2 non-locking 2" casters furnished
- Overall height is 74-1/2".

Options:

- Floor glides or 4 non-locking casters
- Optional wood finishes shown on page 38

Description	Size (HxW)	Weight	Aluminum	Wood
White LCS	4' x 6'	100 lbs.	LCS56	
both sides	3'6" x 5'	75 lbs.	LCS55	
	3' x 4'	50 lbs.	LCS155	LCS153
LCS 1 side	4' x 6'	100 lbs.	LCS69	
Tan Cork other	3'6" x 5'	75 lbs.	LCS67	
	3' x 4'	50 lbs.	LCS167	LCS158

Premiere Series 8-foot Reversible Mobile Board



Features:

- LCS both sides
- 4' high x 8' wide panel
- Call for more information

Number	Size (HxW)	Weight
LCS248	4' x 8'	134 lbs.

All items on this page ship Freight Class 85.

Deluxe Two-sided Mobile Board



Features:

- White LCS markerboard
- Double-sided panel is mounted on heavy, rigid aluminum standards (panel does not revolve)
- Upright posts and cross pieces are 1-1/2" x 2" rectangular tubing; full length accessory tray is 2-1/2" wide. Overall height is 75-1/2".
- 2 locking and 2 non-locking 3" casters furnished; can be nested to conserve space

Description	Number	Size (HxW)	Weight
White LCS	48LW	4' x 6'	135 lbs.
both sides	48-8LW	4' x 8'	180 lbs.

Deluxe Series Revolving Two-sided Mobile Board



Features:

- Porcelain writing surface in LCS markerboard
- Panel is mounted on heavy, rigid aluminum standards and revolves on 2 pins in a horizontal plane.
- Upright posts and cross pieces are 1-1/2" x 2" rectangular tubing; full length accessory tray is 2-1/2" wide. Overall height is 75-1/2".
- Moves easily on carpet casters and can be stacked to conserve space
- Available with markerboard or chalkboard one side with Tan Cork on the opposite side

Description	Number	Size (HxW)	Weight
White LCS	146BL	4' x 5'	192 lbs.
both sides	146CL	4' x 6'	214 lbs.
	146EL	4' x 8'	272 lbs.

MLC405 Presentation Easel



Features:

- Lightweight aluminum easel with white MLC Melamine markerboard
- Telescoping legs with 3 height adjustments – from 36" for table top use – to 72"
- Spring-loaded chart clamp holds paper pads for flipchart use
- 4 Assorted LCS markers and 1 microfiber eraser cloth

Options:

- Easel Pads 27" x 34", punched 17-1/2" on center – 50 sheets per pad – 4 pads per carton.


Number	Size (HxW)	Weight
† MLC405	35" x 28"	12 lbs.

† Can Ship UPS Ground. All items on this page ship Freight Class 85.

SLIDING UNITS

Custom built Horizontal Sliding Units – offer ideal visual communication solutions when large visual display surfaces are required but space is limited. Sliding units provide optimum display surfaces within easy reach of the instructor/moderator for teaching, conferences, and training. Constructed with panels that slide from side to side doubling, tripling, or even quadrupling available space. Select from a variety of display surfaces for sliding panels and back panels.

Horizontal Sliding Units



Optional Panels – In lieu of LCS

Porcelain Chalkboard
 Claridge Cork, Fabricork, Guilford of
 Maine FR701 Fabric
 Glass Beaded Projection Screen
 (Maximum without seam – 60")
 Units with no back panels
 Tan Nucork

Optional Frame Finishes – in lieu of satin anodize

Medium or Dark Bronze Anodize
 2-Track Unit
 3- or 4-Track Unit
 Powder Coat Finish
 2-Track Unit
 3- or 4-Track Unit

Features:

- Porcelain enamel steel markerboard sliding panels and back panel; satin anodize finish aluminum frame and housing
- Top-suspended sliding panels glide easily over aluminum track on nylon rollers
- Standard installations consist of sliding panels and fixed back panel (2 track units up to 12' have 2 sliding panels; 14' has 3; and 16' to 24' units have 4)
- 3 and 4-track units have 1 sliding panel per track. Panels cover approximately one-half of the unit
- 2-track units weigh approximately 6-1/2 lbs. per sq. ft., 4-track units weigh approximately 11-1/2 lbs. per sq. ft.

Option:

- Extra sliding panels and other type of panels available

Note: These prices do not apply to extra panels ordered separately – only when furnished with the original order. When extra panels are required at a later date, contact customer service for price.

Size (HxW)	Number 2-Track	Number 3-Track	Number 4-Track
4' x 6'	HS46-2	HS46-3	HS46-4
4' x 8'	HS48-2	HS48-3	HS48-4
4' x 10'	HS410-2	HS410-3	HS410-4
4' x 12'	HS412-2	HS412-3	HS412-4
4' x 14'	HS414-2	HS414-3	HS414-4
4' x 16'	HS416-2	HS416-3	HS416-4
4' x 20'	HS420-2	HS420-3	HS420-4
4' x 24'	HS424-2	HS424-3	HS424-4

All items on this page ship Freight Class 70.

GLASS DOOR CABINETS

Note: A minimum charge applies on all orders for color anodized trim.

Provide an avenue for information, directions, announcements, or a display for photos or artwork, wherever it is needed with glass enclosed, wall-hung bulletin cabinets. Select a tackable back panel in a coordinating or complementary color for posting bulletins. Available in wood and aluminum frames.



Imperial Series: Bulletin Board



Features:

- Constructed of heavy-gauge satin anodize aluminum
- Tackable back panels in Claridge Cork, Fabricork, or Guilford of Maine FR701 fabric. See page 7 for color selections.
- 2 sliding 3/16" tempered glass doors with finger pulls and flat key tumbler lock
- Bulletin Board Cabinets are 3-1/4" overall; inside depth is 1-1/2"
- Z-bar hangers

Option:

- For Medium or Dark Bronze Anodize in lieu of Satin, specify Imperial BA ADD
- For powder coat finish in lieu of Satin, specify Imperial PC ADD
- For Lights, specify Imperial Light ADD

Size (HxW)	Weight	Bulletin Board
36" x 48"	80 lbs.	294
36" x 60"	100 lbs.	295
36" x 72"	120 lbs.	296
48" x 60"	135 lbs.	297
48" x 72"	160 lbs.	298

Universal: Bulletin Board



Features:

- Tackable back panels in Claridge Cork, Fabricork, or Guilford of Maine FR701 Fabric. See page 7 for for color selections.
- Frames and all structural members are satin anodize aluminum; overall cabinet depth is 3"; inside depth 1-15/16"
- Three 3/16" tempered glass doors with piano hinges and flat key tumbler locks
- Z-bar hangers

Options:

- For Medium or Dark Bronze Anodize in lieu of Satin, specify Universal BA ADD
- For powder coat finish in lieu of Satin, specify Universal PC ADD
- For Light, specify Light ADD

Size (HxW)	Weight	Bulletin Board Back Panel
36" x 72"	159 lbs.	1846
48" x 72"	177 lbs.	1847

All items on this page ship Freight Class 100.

Contemporary Series: Bulletin Board Cabinet



Features:

- Perimeter trim is 1-1/2" x 3" heavy-gauge rectangular aluminum with satin anodize finish; inside depth is 1-3/4"
- Tackable back panels can be Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab; see page 7 for color selections.
- 3/16" tempered sliding glass doors have ground-in finger pulls; hinged doors are hung on piano hinges. Both have flat key tumbler locks
- Cabinets with header have 6" translucent Plexiglas header panel; specify name
- Z-bar hangers for surface mounting
- Dimensions are overall, including trim

Options:

- For lights, specify Light ADD.
- For Medium or Dark Bronze Anodize finish in lieu of Satin, specify Contemporary BA ADD
- For powder coat finish in lieu of Satin, specify Contemporary PC ADD
- Cabinets with 4" housing in lieu of 3" – call for pricing
- Weatherproofing on hinged door cabinets – call for pricing
- Intermediate sizes available
- For Heights over 4' (4'6" maximum recommended), specify Contemporary Extra Height ADD

Note: Recessed installation is optional. If required, provide finished opening measurements into which the unit will be placed. Cabinet will be made 1/2" smaller in each direction for easy fit.

Size (HxW)	Weight	No. Doors **	Hinged Door	Sliding Door *	Hinged w/Header	Sliding w/Header *
3' x 2'	42 lbs.	1	2035	2035S	3035H	3035S
3' x 2'6"	45 lbs.	1	2036	2036S	3036H	3036S
3' x 3'	54 lbs.	1	2037	2037S	3037H	3037S
3'6" x 2'6"	53 lbs.	1	2038	2038S	3038H	3038S
3'6" x 3'	63 lbs.	1	2039	2039S	3039H	3039S
4' x 4'	96 lbs.	2 pair	2040	2040S	3040H	3040S
3' x 4'	72 lbs.	2 pair	2041	2041S	3041H	3041S
3'6" x 5'	105 lbs.	2 pair	2042	2042S	3042H	3042S
4' x 5'	120 lbs.	2 pair	2043	2043S	3043H	3043S
4' x 6'	144 lbs.	2 pair	2044	2044S	3044H	3044S
4' x 8'	256 lbs.	3 pair	2046	2046S	3046H	3046S

**Sliding door units with more than 2 doors will have mullion(s).*

***Note: 3' x 2' cabinet has one door; 3' x 4' through 4' x 6' have 2 pair of doors; and 4' x 8' has 3 pair of doors.*

Classic Series: Bulletin Board Cabinet



Features:

- Radius edge cabinet is constructed of 1-1/2" x 3" hollow tube perimeter trim with satin anodize finish; inside depth is 1-3/4"
- Tackable back panels can be Claridge Cork, Fabricork, or Guilford of Maine FR701 Fabric. See page 7 for color selections.
- 3/16" tempered glass doors have continuous hinges and flat key tumbler locks
- Z-bar hangers

Options:

- For lights, specify Light ADD
- For Medium or Dark Bronze Anodize finish in lieu of Satin, specify Classic BA ADD
- For powder coat finish in lieu of Satin, specify Classic PC ADD

Number	No. Doors	Size (HxW)	Weight
1023	2	3' x 4'	86 lbs.
1024	2	4' x 4'	116 lbs.
1025	2	4' x 5'	148 lbs.
1026	2	4' x 6'	178 lbs.
1028	4	4' x 8'	232 lbs.

All items on this page ship Freight Class 100.

Revere Series: Bulletin Board Cabinet



Note: For Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab, specify material and color and use Claridge Cork price.

Recessed installation is optional – provide exact (finished) opening measurements into which the unit will be placed. Cabinets made 1/2" smaller in each direction for easy fit.

Features:

- Tackable back panels in Tan Nucork, Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab. See page 7 for color selections.
- Constructed with 1" x 3" hollow tube perimeter in satin anodize finish
- Cabinets have hinged door(s) with 3/16" tempered glass, continuous piano-type hinges and flat key tumbler locks
- Dimensions given are overall, including trim and housing; inside depth is 1-3/4"
- Z-bar hangers

Options:

- For lights, specify Light ADD
- For Medium or Dark Bronze Anodize finish in lieu of Satin, specify Revere BA ADD
- For powder coat finish in lieu of Satin, specify Revere PC ADD
- For round corner design in lieu of square corners, specify Revere RC ADD
- Intermediate sizes available
- For heights over 4' (4'6" maximum recommended), specify Revere Extra Height ADD

Size (HxW)	Weight	No. Doors	Claridge Cork	Tan Nucork
3' x 3'	50 lbs.	1	3820BCC	3820BN
3'6" x 3'	58 lbs.	1	3920BCC	3920BN
3' x 4'	66 lbs.	2	4120BCC	4120BN
4' x 4'	88 lbs.	2	4020BCC	4020BN
3'6" x 5'	96 lbs.	2	4220BCC	4220BN
4' x 6'	144 lbs.	2	4420BCC	4420BN

Deluxe Series: Bulletin Board Cabinet



Features:

- Tan Nucork back panel
- Satin anodize aluminum frame; overall depth 2"; inside depth 3/4"
- 3/16" hinged tempered glass doors with locks
- Z-bar hangers

Options:

- For Medium or Dark Bronze Anodize finish in lieu of Satin, specify Deluxe BA ADD
- For powder coat finish in lieu of Satin, specify Deluxe PC ADD

Number	No.Doors	Size (HxW)	Weight
1941	2	36" x 48"	66 lbs.

Note: Finished unit is 1/8" larger in height and width than size shown.

All items on this page ship Freight Class 100.

Large Contemporary Series: Bulletin Board Cabinet



Features:

- Heavy-gauge rectangular aluminum housing with satin anodize finish in 1-1/2" x 3" or 1-3/4" x 4"; inside depth of 3" cabinet is 1-3/4"; inside depth of 4" cabinet is 2-3/4"
- Mitered corners are reinforced for rigidity
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab. See page 7 for color selections.
- Locking tempered glass doors are hung on piano hinges
- Continuous angle hangers furnished for top and bottom
- Surface or recess installed (When ordering for recess installation, provide exact (finished) opening measurements into which the unit will be placed. Cabinet will be made 1/2" smaller in each direction for easy fit.)

Options:

- For lights, specify Light ADD Light not available in 3" cabinets
- For Medium or Dark Bronze Anodized finish in lieu of Satin, specify Large Contemporary BA ADD
- For powder coat finish in lieu of Satin, specify Large Contemporary PC ADD

Size (HxW)	Weight	No. Doors	3" Housing	4" Housing
5' x 3'	180 lbs.	1	2153-3	2153-4
5' x 6'	300 lbs.	2 pair	2156-3	2156-4
6' x 4'	250 lbs.	1	2164-3	2164-4
6' x 8'	500 lbs.	2 pair	2168-3	2168-4

Rival: Bulletin Board Cabinet



Shown with optional bronze anodize finish

Features:

- Tan Nucork tackable back panel
- Cabinet has satin anodize finish aluminum frame; outside depth is 1-15/16"; inside depth 3/4"
- 3/16" tempered glass door with piano-type hinge and flat key tumbler lock
- Z-bar hangers

Options:

- For Medium or Dark Bronze Anodize finish in lieu of Satin, specify Rival BA ADD
- For powder coat finish in lieu of Satin, specify Rival PC ADD

Number	Size (HxW)	Weight
367	42" x 30"	60 lbs.

All items on this page ship Freight Class 100.

Wood Frame Bulletin Board



Features:

- Tackable bulletin board back panel in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab. See page 7 for color selection.
- Mitered corner construction in Natural or Medium Oak finish. Specify finish.
- 2" deep outside; 3/4" inside
- 3/16" tempered hinged glass door with flat key tumbler locks
- Z-bar hangers

Options:

- See page 38 for optional woods and finishes.

Size (HxW)	Weight	No. Doors	Bulletin Board
36" x 48"	55 lbs.	2	3080
48" x 48"	75 lbs.	2	3080A
42" x 60"	85 lbs.	2	3080B
48" x 60"	90 lbs.	2	3080C
48" x 72"	110 lbs.	3	3080D

310 Bulletin Board



Note: Overall height is approximately 3/16" larger than shown.

Features:

- Tackable bulletin board back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab. See page 7 for color selection.
- Constructed of Natural or Medium Oak finish, cabinet has mitered corners;
- 3-1/4" deep outside; 1-1/4" inside
- Two 3/16" tempered sliding glass doors with heavy-duty locks
- Sliding glass door shoe, channel, and track are extruded aluminum with bronze finish
- Z-bar hangers

Options:

- See page 38 for optional woods and finishes.
- For optional Lights, specify 310 Light ADD

Size (HxW)	Weight	No. Doors	Bulletin Board
36" x 48"	82 lbs.	2	310
36" x 60"	102 lbs.	2	310A
36" x 72"	122 lbs.	2	310B
48" x 60"	134 lbs.	2	310C
48" x 72"	162 lbs.	2	310D

EPH Header Panel



Features:

- Optional 6" Plexiglas header panel available on most hinged door cabinets
- Includes six letters per foot; sold in 6" increments.

Note: A separate header panel is furnished above each door on cabinets with more than 1 opening.

Number

EPH

All items on this page ship Freight Class 100.

DISPLAY AND TROPHY CASES

Showcase awards. Display collections. Exhibit manufactured goods. Display and trophy cases can be designed to custom-fit your space and display needs. Extensive collection of display cases is available in a wide range of styles, materials, and finishes. Select from freestanding, wall mounted, and recessed case designs in wood or aluminum.



Premiere Freestanding Display Case



Features:

- Constructed in one continuous piece, Premiere cases do not require wall support
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, Hook-Fab, and Tan Nucork. See page 7 for color selections. Back panels also available in Walnut or Oak grain high-pressure laminate.
- Frame is heavy-gauge satin anodized aluminum; inside depth is 13-3/4"
- Oak or Walnut grain high-pressure laminate base and aluminum legs are 18" high
- 3/16" tempered glass sliding doors with locks and keys, and three 6", 8", 10", or 12" wide adjustable glass shelves
- Floor leveling glides included

Options:

- Intermediate sizes available
- For optional Lights, specify Light ADD
- For Medium or Dark Bronze anodized in lieu of satin anodize, specify Premiere Free BA ADD
- For powder coat finish in lieu of satin anodize, specify Premiere Free PC ADD

Note: Specify shelf width, frame finish, and type and color of back panel.

Size (HxWxD)	Weight	No. of Doors	Aluminum Legs Number	Wood Base Number
5'6" x 4' x 1'4"	320 lbs.	1 pair	456	470
5'6" x 5' x 1'4"	400 lbs.	1 pair	457	471
5'6" x 6' x 1'4"	480 lbs.	1 pair	458	472
5'6" x 8' x 1'4"	640 lbs.	2 pairs	463	474
5'6" x 10' x 1'4"	800 lbs.	2 pairs	465	475
5'6" x 12' x 1'4"	960 lbs.	3 pairs	467	476
5'6" x 16' x 1'4"	1280 lbs.	3 pairs	469	478

All items on this page ship Freight Class 125.

742 Freestanding Display Case



Features:

- Hardwood frame with Natural Oak finish; base is 12" deep
- 3/16" tempered glass sliding glass doors with flat key tumbler locks
- Three 10" adjustable shelves

Options:

- For optional woods and finishes, see page 38.

	Number	Size (HxWxD)	Weight
Glass Back Panel	742	42" x 36" x 12"	135 lbs.
Mirror Back Panel	742A	42" x 36" x 12"	135 lbs.

Classic Series Display Case



Features:

- Solid wood construction
- Case has an inside depth of 15-3/4"
- Cases have 3/16" tempered glass doors with flat key tumbler locks
- 3 adjustable glass shelves
- Back panel available in Claridge Cork, Fabricork, or Guilford of Maine FR701 Fabric; see page 7 for color selections.

Options:

- Laminate back panel in your choice of standard Wilsonart laminates
- For optional light, specify 650 LIGHT ADD

Finish	Size (HxWxD)	Weight	Hinged Door		Sliding Door Number
			Number	Price	
Natural Oak	72" x 48" x 18"	400 lbs.	650N	\$11,528	651N
Medium Oak	72" x 48" x 18"	400 lbs.	650M	\$11,528	651M
Mahogany	72" x 48" x 18"	400 lbs.	650MS	\$11,677	651MS
Maple	72" x 48" x 18"	400 lbs.	650MA	\$12,401	651MA
Cherry	72" x 48" x 18"	400 lbs.	650CH	\$12,217	651CH

748 Universal Series Display Case



Features:

- Case is 6'6" high and 48" wide with an outside depth of 18" and an inside depth of 15-3/4"; glass back panel
- Extruded aluminum frame; 302P Black powder coat finish
- Lighting at top accentuates exhibits
- 3/16" tempered glass back panel, end panels, and sliding doors with flat key tumbler lock
- 3 adjustable shelves with brackets and standards
- Black laminate base is 18" high and features storage space with sliding doors and lock

Options:

- For other standard powder coat colors, See page 38
- Other standard Wilsonart laminate colors available

	Number	Size (HxWxD)	Weight
Illuminated	748	78" x 48" x 18"	400 lbs.
No Light	748A	78" x 48" x 18"	400 lbs.

All items on this page ship Freight Class 125.

Premiere Wall Mounted Display Case



Features:

- Constructed of heavy-gauge satin anodize aluminum
- Inside depth is 13-3/4"
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, Hook-Fab, and Tan Nucork. See page 7 for color selections. Back panels also available in Walnut or Oak grain high-pressure laminate.
- 3/16" tempered glass sliding doors with locks and keys, and three 6", 8", 10", or 12" wide adjustable glass shelves
- Continuous angle hangers

Options:

- Intermediate sizes available
- For optional Lights, specify Light ADD
- For Medium or Dark Bronze anodized finish in lieu of satin anodize, specify Premiere Wall BA ADD
- For powder coat finish in lieu of satin anodize, specify Premiere Wall PC ADD

Note: Specify shelf width, frame finish, and type and color of back panel.

Number	Size (HxWxD)	Weight	Doors
479	4' x 3' x 1'4"	216 lbs.	1 pair
481	4' x 4' x 1'4"	288 lbs.	1 pair
482	4' x 5' x 1'4"	360 lbs.	1 pair
483	4' x 6' x 1'4"	432 lbs.	1 pair
484	4' x 8' x 1'4"	640 lbs.	2 pair
485	4' x 10' x 1'4"	800 lbs.	2 pair
486	4' x 12' x 1'4"	960 lbs.	3 pair
488	4' x 16' x 1'4"	1280 lbs.	3 pair

309 Sliding Door Display Case



Features:

- Constructed with Natural or Medium Oak finish
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, or Hook-Fab. See page 7 for color selections.
- Inside depth of 10-3/4" case is 8-7/8"; inside depth of 7" case is 5-1/8"
- 3/16" tempered glass sliding doors with finger pulls and flat key tumbler lock; adjustable glass shelves
- Sliding glass door shoe, channel, and track are extruded aluminum with bronze finish
- Z-bar hangers

Options:

- For optional Lights, specify Light ADD
- See page 38 for optional woods and finishes. If required, specify ADD

Case Number	Size (HxWxD)	No. of Shelves	Shelf Width	Weight
309	3' x 4' x 7"	2	4"	200 lbs.
309A	4' x 5' x 7"	3	4"	260 lbs.
309B	4' x 6' x 7"	3	4"	300 lbs.
309C	4' x 5' x 10-3/4'	3	8"	320 lbs.
309D	4' x 6' x 10-3/4'	3	8"	340 lbs.

All items on this page ship Freight Class 125.

370 Series Recessed Display Case



Note: Always specify type and color of back panel; width of glass shelves and whether wood box and/or light are required. Lights, when required, are installed but wiring is not included.

Features:

- Display case fronts are built of satin anodize aluminum
- Tackable back panels in Claridge cork, Fabricork, Guilford of Maine FR701 Fabric, and Hook-Fab, or Oak or Walnut grain high-pressure laminate. See page 7 for color selection.
- 3/16" tempered glass sliding doors with lock and key
- Three 6", 8", 10", or 12" wide glass shelves with standards and brackets

Options:

- Wood box (specify depth) up to 24" (16" furnished if depth not specified) and finish - Oak or Walnut Wilsonart laminate
- For optional Lights, specify Light ADD
- For Medium or Dark Bronze anodized finish in lieu of satin anodize, specify Trophy Case BA ADD
- For powder coat finish in lieu of satin anodize, specify Trophy Case PC ADD

Case Number	Size Masonry (HxW)	Pairs of Opening	Doors	Weight	Optional Wood Box Number	Weight
372	4' x 4'	44-5/16" x 44-5/16"	1	192 lbs.	372WB	80 lbs.
373	4' x 6'	44-5/16" x 68-5/16"	1	288 lbs.	373WB	120 lbs.
374	4' x 8'	44-5/16" x 92-5/16"	2	384 lbs.	374WB	160 lbs.
375	4' x 10'	44-5/16" x 116-5/16"	2	480 lbs.	375WB	200 lbs.
376	4' x 12'	44-5/16" x 140-5/16"	3	576 lbs.	376WB	240 lbs.
378	4' x 16'	44-5/16" x 188-5/16"	3	768 lbs.	378WB	320 lbs.

390 Large Door Recessed Display Case



Note: Always specify type and color of back panel; width of glass shelves and whether wood box and/or light are required. Lights, when required, are installed but wiring is not included.

Features:

- Super-heavy satin anodized aluminum frame; 4" face; corners mitered for rigidity
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, and Hook-Fab. See page 7 for color selection.
- 1/4" tempered glass sliding doors with lock and key – similar to patio doors
- Three 6-, 8-, 10-, or 12-inch wide glass shelves with standards and brackets
- Dimensions given are overall, including trim
- Standard sizes are shown; cases can be constructed in virtually any size required

Options:

- For Medium or Dark Bronze anodized finish in lieu of satin anodize, specify Large Door BA ADD
- For powder coat finish in lieu of satin anodize, specify Large Door PC ADD
- Wood box (specify depth) up to 24", is 1/2" thick Oak or Walnut Wilsonart laminate

Case Number	Size (HxW)	Doors	Weight	Optional Wood Box Number	Weight	Optional Light Number
3394	6' x 6'	2	360 lbs.	394WB	180 lbs.	394FL
395	6' x 8'	2	480 lbs.	395WB	240 lbs.	395FL
396	6' x 10'	3	600 lbs.	396WB	300 lbs.	396FL
397	6' x 12'	4	720 lbs.	397WB	360 lbs.	397FL
398	6' x 14'	4	840 lbs.	398WB	420 lbs.	398FL
399	6' x 16'	4	960 lbs.	399WB	480 lbs.	399FL

All items on this page ship Freight Class 125.

CONFERENCE ROOM TOOLS

Lecture units are the ideal communication tools for meetings and presentations. Lecture units feature LCS low-gloss porcelain enamel steel for writing and projection, and combine markerboards and tackboards to create an integrated presentation center. Optional companion storage credenza keeps resources close at hand. All surfaces and cabinetry are available in a variety of materials and finishes to complement any room environment.

Contemporary Style Wood Lecture Unit



Options	Specify Order As	Size (HxW)
Matte White Pull-down	40" Screen add	40" x 40"
Projection Screen	60" Screen add	40" x 60"
Optional Light*	Light add	
Optional Lock and Key	Lecture Lock add	4' & 6' units
Deduct for no finish	Unfinish Lecture 2'	2' units
	Unfinish Lecture 4'	4' units
	Unfinish Lecture 6'	6' units
Extra Sketching Pads (4 pads per carton)	ESP20x34	20" x 34"
LCS inside doors	Lecture LCS 2' add	2' Size
In lieu of bulletin board	Lecture LCS 4' add	4' Size
	Lecture LCS 6' add	6' Size

* Note: Light and screen not available in same unit.

Features:

- Contemporary cabinets feature radius corners (square corners optional)
- Low gloss porcelain enamel steel writing surface
- Furnished with 1 white sketching pad, 4 assorted LCS markers, and 1 microfiber eraser cloth
- Concealed Z-bar hangers for easy and secure installation

Options:

- See page 7 for other materials and colors for inside of door(s)
- Matching credenza. Call for price.

Finish	(HxW)	No. of Doors	Weight	Number
Walnut	4' x 4'	2	110 lbs.	508-4WN
Walnut	4' x 6'	2	160 lbs.	508-6WN
Natural Oak	4' x 4'	2	110 lbs.	509-4N
Medium Oak	4' x 4'	2	110 lbs.	509-4M
Natural Oak	4' x 6'	2	160 lbs.	509-6N
Medium Oak	4' x 6'	2	160 lbs.	509-6M
Mahogany	4' x 4'	2	110 lbs.	512-4MS
Mahogany	4' x 6'	2	160 lbs.	512-6MS
Maple	4' x 4'	2	110 lbs.	516-4MA
Maple	4' x 6'	2	160 lbs.	516-6MA
Cherry	4' x 4'	2	110 lbs.	517-4CH
Cherry	4' x 6'	2	160 lbs.	517-6CH

Contemporary Style Laminate Lecture Unit



Features:

- Laminate lecture units have square self-edge profile and square corners
- Laminate finish is exceptionally durable and has excellent scratch resistance
- Select from standard Wilsonart laminate colors
- Lecture unit features Low Gloss porcelain enamel steel writing surface
- Tan Nucork tackboards inside doors have display rail with cork insert and spring clip hooks for tacking or hanging charts
- Furnished with 1 white sketching pad, 4 assorted LCS markers, and 1 microfiber eraser cloth
- Concealed Z-bar hangers for easy and secure installation

Number	Finish	Size (HxW)	Weight
518-4PL	Laminate	4' x 4'	110 lbs.
518-6PL	Laminate	4' x 6'	160 lbs.

All items on this page ship Freight Class 125.

344 Wave Lectern



344 Lectern shown with optional milled logo

Features:

- Inspired design features curved solid wood sides with a wavy laminate front panel
- Lectern height is approx. 44"; width, 21"; depth, 18"
- Sloped reading surface is 16-1/2" x 21"; storage shelves
- Glides furnished

Option: For precision milled graphic or logo on lectern front, call for pricing.

Number	Finish	Weight
344	Black Hardwood/Cherry Laminate	76 lbs.

Freight Class 175.

725 Folding Screen



Features:

- Screens are lightweight, yet durable; an economical, effortless way of providing privacy
- Tan Nucork panels have aluminum frame with double action hinges
- Nucork panels can be used as they are, painted, or papered by owner
- Fold nearly flat for storage

Number	Frame Finish	No. of Panels	Size (HxW)	Weight
725	Satin Anodize	3	60" x 72"	55 lbs.
725A	Satin Anodize	3	68" x 72"	60 lbs.
725B	Satin Anodize	3	80" x 72"	70 lbs.
725C	Satin Anodize	4	60" x 96"	74 lbs.

Freight Class 70.

MAP & DISPLAY RAILS

Utilize Map and Display Rails installed on boards or directly to wall to add exhibit space. Ideal for displaying artwork, photos, posters and more. Select from a wide range of design options, finishes and insert choices.

79 Hang-Tight Rail System



Features:

- Combines standard aluminum map and display rail with a specially designed extrusion that holds posters, pamphlets, blueprints, etc., securely in place without tacking
- For easy removal, simply pull up and out
- Tackable insert is approx. 1-5/8" wide, available in your choice of materials and colors. See page 7 for options
- Rail and gripping mechanism are made of heavy gauge aluminum
- HT79 weighs approximately 1 lb. per lin. ft.

Number	Length
HT79-2	2'0"
HT79-4	4'0"
HT79-6	6'0"
HT79-8	8'0"

EDR Exhibit Rail



Features:

- EDR offers an attractive and economical way of adding exhibit space
- Rail is 3" wide and features a Fabricork tackable insert
- Mounts with 3/4" flat head screws (furnished) or with your double-sided tape
- EDR Rail weighs approximately 1/2 lb. per. lin. ft.

Options:

See page 7 for insert colors available.

Number	Price	Length	Number*
EDR3	\$92	3'	EDR3-6
EDR4	\$115	4'	EDR4-6
EDR6	\$147	6'	EDR6-6
EDR8	\$179	8'	EDR8-6
EDR12	\$242	12'	EDR12-6

* 6 per package

WDR Wooden Display Rail



Options:


- For optional 87 Clips for hanging small boards that use keyhole type hangers directly from WDR rail, specify.

Features:

- WDR is available in 2 widths – approx. 3" wide with a 1-1/2" tackstrip and approx. 4" wide with a 2-1/2" tackstrip
- Rail mounts directly to wall and can butt to door facing or corner moldings. End stops (furnished) provide a finished look in any length
- Tackable insert in Claridge Cork, Fabricork, Guilford of Maine FR701 Fabric, and Hook -Fab. See page 7 for colors
- Natural Oak finish
- Available in several finishes as well as unfinished to be painted or finished on the job to match existing walls

Number	Width	Length	Weight
WDR82-2	3"	2'	1.5 lbs.
WDR82-4	3"	4'	3 lbs.
WDR82-6	3"	6'	4 lbs.
WDR82-8	3"	8'	6 lbs.
WDR83-2	4"	2'	2 lbs.
WDR83-4	4"	4'	4 lbs.
WDR83-6	4"	6'	6 lbs.
WDR83-8	4"	8'	8 lbs.

Economy and Deluxe Map & Display Rail



- Standard lengths for 51EZ: 6'6"; 8'6"; 10'6"; 12'6" and 16'6". 74EZ standard lengths are 6'3", 8'6", 10'6", 12'6" and 17'0".
- 51EZ weighs approx. ¼-lb. per lin. ft.; 74EZ weighs ½-lb. per lin. ft.

Features:

- 51EZ aluminum rail is 1" wide with a 5/8" tan cork insert (unless otherwise specified); 74EZ rail is 2" wide with a 1-5/8" tan cork insert
- Recessed screw guide insures easy installation – angled design keeps insert in place
- Furnished with 1-1/2" pan head screws

	Economy Number	Deluxe Number	Length/Description
Rail	51EZ	74EZ	Less than 100 lin. ft.
	51EZA	74EZA	100 to 200 lin. ft.
	51EZB	74EZB	200 lin. ft. and over
Accessories	51D	74D	Display Rail no insert
	51C	76	Plastic Map Hook
	51M	76M	Metal Map Hook
	51RB	76RB	Roller Brackets
	FH1	FH2	Flag Holders
	51EZPES	74EZES	End Stops
	52ES	75ES	Flat End Stops

94 Combination Map Rail & Clip Strip



Features:


- Offers the combined utility of a clip strip and a display rail all in one
- Extruded aluminum rail is approx. 3-1/4" wide overall; 1-5/8" tackable insert in your choice of tackable materials and colors. See page 7 for material and color selection.
- Factory installed clips (6" on center) are perfect for presentations using drawings, photos, maps, etc.
- CMR weighs approximately 1/2 lb. per lin. ft.

Number	Length
CMR94-2	2'0"
CMR94-4	4'0"
CMR94-6	6'0"
CMR94-8	8'0"

Note: Use same accessories as 74EZ

Lengths through 8'6" can ship UPS Ground. All items on this page ship Freight Class 85.

Field Assembled Screw-in Aluminum Trim



Stock Lengths:

- Nos. 262, 263, 264, 169, 170, 170A and 151 are available in 8'6", 10'6", 12'6", 17' and 21' lengths. Specify lengths required.

Order Information:

- Always specify NUMBER of pieces required, lengths required and if trim is to be used with 1/4" or 1/2" panels.

Features:

- Screw-on trim, with exposed fasteners is noted for ease of installation
- Use on field-assembled markerboards, chalkboards, tackboards, or combinations
- Accessory Tray, Mullion Trim, Perimeter Trim and Display Rail available

Note: Weight and price are shown per lineal ft.

Number	Description	Weight per Lin. Ft.
262	Chalk/marker tray	1 lb.
262R-L	R/L End Closures (pr)	
263	Chalk/marker tray	.75 lb.
264	Chalk/marker tray	.75 lb.
169	Mullion Trim	.5 lb.
170	Trim	.5 lb.
170A	Trim	.5 lb.
151	Map Rail – 1/2" leg	.5 lb.
151A	Map Rail – 1/4" leg	.5 lb.
151M	Map Rail – no leg	.5 lb.

H-Bar




Features:

- Use colored aluminum H-bars for joining 2 or more panels
- H-bar has a 1" face and a 1/2" opening
- Available in lengths up to 12'

Name

H-Bar

66 Extruded Aluminum Joint



Features:

- Designed to fit over H-bar, 66 Joint is 1" wide
- Finished to match writing surface, it covers existing joint and overlaps face sheet
- Furnished with double-sided tape for easy installation
- Available in lengths up to 12'

Name

66

Adhesive



Number	Description	Weight
15G	1 gallon	10 lbs.
16AT	28 oz. tube	2.75 lbs.
16A-5G	5 gallon	50 lbs.
17G	1 gallon	10 lbs.
18AG	1 gallon	10 lbs.
F-38	28 oz. tube	2.75 lbs.

5 tubes = 1 gallon

Features:


- 15 Adhesive** - Used for installing unmounted tackboard panels
 - Available in 1-gallon cans; coverage varies from 80 to 100 sq. ft.
- 16 Adhesive** - Used for installing framed markerboards, chalkboards, and tackboards as well as unframed panels
 - Available in 28 oz. tubes and 5-gallon cans; 1 gallon covers approx. 160 sq. ft. area of factory framed boards or 80 sq. ft. area of materials.
- 17 Adhesive** - Used for installing fabric only (936 Hook-Fab, 3106 Guilford of Maine FR701 Fabric, and 1499 Fabricork vinyl fabric)
 - Available in 1-gallon cans; coverage varies from 80 to 100 sq. ft.

Note: Not intended for use when installing fabric as a wall covering.

- 18 Adhesive** - Water-based adhesive designed for the installation of wall panels over clean, dry, and sound wall surfaces finished to a Level 4 or Level 5
 - One gallon covers approx. 100 sq. ft.

- F-38 Adhesive** - Ultra-low VOC, non-flammable, high performance construction adhesive
 - VOC compliant in all 50 states; GREENGUARD Children and Schools certified
 - Available in 28-oz. tubes; 1 tube covers approx. 35 sq. ft. of factory framed boards

Roller and Trowel



Features:

Serrated Steel Trowel

- Ideal for spreading markerboard or chalkboard adhesive – is made of masonry trowel steel with a serrated edge with 1/8" notches

Pressure Roller

- Lightweight rubber roller designed for installing replacement skins on existing board surfaces.

Note: A 2-handed roller similar to one used for laying floor tile or linoleum is required for installing vertical wall panels or large runs of markerboard skins.

Number	Description	Weight
65	Serrated Steel Trowel	5 lbs.
64	Pressure Roller	4 lbs.

Magnetic Accessory Trays



- 264M – Satin anodize finish aluminum tray is 2-3/4" deep
- 264MP – Powder coat finish aluminum tray – See page 38 for color selection
- 266MV1 – Black vinyl tray is 2-1/2" deep

Features:

- Aluminum and vinyl – magnetic trays adhere to all Claridge porcelain enamel steel markerboards and chalkboards as well as other steel surfaces
- Magnet-backed trays are ideal for chalkboard and markerboard accessories, organizing your desk top, displaying art, and copyboards
- Not for use on Glass Markerboards

Number	Length	Finish
264M1	1'	Satin
264MP1	1'	Powder
266MV1	1'	Vinyl

LCS Markers



Options:

- LCS668-2 (2 LCS markers and 1 microfiber eraser cloth)
- LCS668-4 (4 LCS markers and 1 microfiber eraser cloth)

Features:

- LCS dry-erase markers are available in 1 dozen lots of each color and as assorted dozens; 4-packs (broad top) available assorted

Number	Color	Number	Color
LCS669	Red	LCS769	Fine Line – Red
LCS670	Blue	LCS770	Fine Line – Blue
LCS671	Black	LCS771	Fine Line – Black
LCS672	Green	LCS773	Fine Line – Assorted
LCS673	Assorted	LCS673-4	4-Pack – Assorted

Freight class 100

Microfiber Eraser Cloth



Features:

- Microfiber eraser cloth is 12" x 12"
- Furnished with small magnet for easy hanging on board surface
- Erases cleanly with no smearing
- Designed to reduce marker residue build-up

Number	Quantity
ECM227E	Each
ECM227D	Dozen
ECM227G	Gross

Claridge White Board Cleaner



Features:

- Cleans and restores LCS markerboard surfaces
- Convenient 8-oz. pump spray bottle and gallon refills

Number	Description
LCS683	Board Cleaner
LCS683D	Board Cleaner – dozen
LCS683G	Board Cleaner – gallon

Freight class 70

80 Partition Panel Clips



Features:

- Spring steel clips fit over the top of any 2" thick partitions. Small prongs fit underneath the board trim

Number	Description
80	2"
80-3	3"

Freight class 70

All items ship UPS Ground. Freight Class as shown.

The most practical way to rejuvenate old markerboards and chalkboards – use LCS Skins (Face Sheets) over existing badly-worn boards. Framed EZ Fit panels provide yet another option for resurfacing old boards. **See page 6 for color options.**

LCS Skins with Double-Sided Tape



For cutting to non-standard sizes – vertical and/or horizontal

A packing charge will be added to orders for less than 200 sq. ft.

Features:

- LCS porcelain enamel steel skins backed with double-sided tape make resurfacing existing boards a breeze
- Measure to verify fit, clean old board surface, position new skin, peel, and stick – it's that easy
- EZ Stick Skins installations use no solvents, eliminate drying time, and are always a consistent thickness
- Face sheets are shipped precut to customer's specifications

Number	Std. Height	Std. Length
EZ Stick Skins	4'0"	4', 6', 8', 10', 12'

LCS EZ Fit Panels: 3/8" Face Trim



Features:

- EZ Fit panels are designed to fit over existing boards
- Panels are White LCS porcelain enamel steel on Medium Density Fiberboard (MDF) core with a moisture barrier back
- Holes are pre-drilled 2" on center; 1" self-tapping screws included
- Satin anodize aluminum trim

Number	Size (HxW)	Weight
EZL244	4' x 4'	44 lbs.
EZL246	4' x 6'	66 lbs.
EZL248	4' x 8'	88 lbs.
EZL2410	4' x 10'	110 lbs.
EZL2412	4' x 12'	132 lbs.
EZL2416	4' x 16'	176 lbs.

LCS Markerboard Panel



LCS is available in 5'0" heights. Call for pricing and availability.

For cutting to non-standard sizes – vertical and/or horizontal

A packing charge will be added to orders for less than 200 sq. ft.


For chalkboard panels specify color and use price shown.

Features:

- LCS porcelain enamel steel surface mounted on either 7/16" or 1/4" MDF core with a moisture barrier back. Standard height is 4'0"; standard lengths are 4', 6', 8', 10', 12', and 16'
- Made from enameling grade steel during a 3-coat process, the LCS markerboard surface writes smoothly and erases cleanly
- Use with screw-on trim shown on page 32, for custom framing or for OEM applications

Number	Core
LCS-315-M	1/4" MDF core
LCS-217-M	7/16" MDF core

MLC Melamine Markerboard Panel



Cutting and packing charges will apply.

Features:

- Melamine provides a smooth, white, non-magnetic writing surface
- Panel is 1/4" thick
- For use with LCS markers


Number	Core
1032	1/4" Panel

Claridge Cork

Claridge cork is made from renewable raw materials. The combination of oxidized linseed oil, resin, cork and pigments in the product gives Claridge Cork flexibility and resilience. Claridge Cork has a smooth, uniformly dense, suede-like surface with exceptional durability.



1/4" Unmounted Cork



1/4" Mounted Cork

See page 7 for these color options:

1100 Tan	1117 Salsa
1103 Oyster	1118 Tangerine
1104 Cinnamon	1119 Pineapple
1108 Mushroom	1120 Lettuce
1109 Buff	1129 Blueberry
1110 Fawn	1132 Black
1111 Smoke	1136 Graphite
1113 Steel Gray	

Features:

- Claridge Cork is made from pure natural ingredients
- The color-impregnated surface is durable, soil resistant, and washable
- Burlap backed, Claridge Cork is dimensionally stable and will not warp or crumble
- Meets ASTM E-84 and meets or exceeds MIL-C-15116-C, Type 1
- No toxins or harmful emissions

Standard Sizes:

- Claridge cork is priced on the basis of 4' height and 1' increments in length.
- All unmounted cork is shipped oversize for cutting to exact size on the job
- Mounted cork available in lengths up to 16'
- Full rolls of Claridge Cork average 95' in length. Invoicing is based on actual square footage shipped

Cutting Charge:

- For cutting mounted Claridge Cork to non-standard sizes – vertical and/or horizontal


Packing Charge:

- A packing charge will be added to orders for less than 200 sq. ft. of mounted Claridge Cork.

Number	Description	Cork Thickness	Backing	Weight
1199	Unmounted Cork 4' roll	1/4"	Heavy Burlap	1lb.
1199A	Under 200 sq. ft.	1/4"	Heavy Burlap	1lb.
1199B	Over 200 sq. ft.	1/4"	Heavy Burlap	1lb.
1190	Mounted Corkboard	1/4"	Burlap on Hardboard	2lbs.

Guilford of Maine FR701 Fabric Series Bulletin Board

Fabric Series fabrics (Guilford® FR701 pattern) provide tack surfaces with classic appeal, ideal in any environment. Durable, easy to clean, and sustainable, Fabric Series fabrics are made from 100% recycled polyester. Additional Guilford colors and fabrics optional.



See page 7 for these color options:

1679 Cardinal	1686 Dark Pearl
1680 Lime	1688 Cobalt
1681 Cement Mix	1689 Wedgewood
1683 Silver	1690 Grey Mix
1684 Noir	1691 Quartz
1685 Flannel	1692 Wheat

Features:

- Fabric Series fabrics are offered in laminated panel form, fabric with cork underlay, or as fabric only
- Colorfast, soil and stain resistant
- Fabric meets ASTM-E 84 Flame Tunnel Test Class "A" Rating
- Standard Sizes: All mounted Guilford of Maine FR701 Fabric Series panels (except 3106) will be priced on the basis of 4' heights and 1' increments in length. 3106 is 66" wide; cut to size pieces will be billed on the basis of 5' heights and 1' increments in length. Full rolls vary in length from 165' to 180'. Billing is based on actual square footage shipped.

Note: 3100 may be shipped oversize for cutting to exact size on job.

Cutting Charge:

- A charge will be added for cutting to non-standard sizes – vertical and/or horizontal – (except 3106)

Packing Charge:

- A packing charge will be added to orders for less than 200 sq. ft. of Guilford of Maine FR701 Fabric (except 3100 and 3106).

Options:

- C.O.M. fabrics approved for vertical surfaces in lieu of Guilford of Maine FR701 Fabric – call for pricing

Number	Description	Max Length	Weight/sq. ft.
3100	Fabric on cork underlay		
3100A	Cut to Size – Less than 200 sq. ft.	16'	1/2 lb.
3100B	Cut to Size – 200 sq. ft. or more	16'	1/2 lb.
3101	Fabric on underlay on Duracore-1/2" overall	12'	1-1/8 lbs.
3101EW	Fabric on underlay on Duracore w/edges wrapped	12'	1-1/8 lbs.
3102	Fabric on cork underlay on 1/4" hardboard – 1/2" overall	16'	1-1/2 lbs.
3102EW	Fabric on cork underlay on 1/4" hardboard with edges wrapped – 1/2" overall	16'	1-1/2 lbs.
3103	Fabric on duracore (not fire retardant)	12'	1 lb.
3103EW	Fabric on duracore (not fire retardant) with edges wrapped	12'	1 lb.
3104	Fabric on 7/16" fire retardant Duracore	12'	1 lb.
3104EW	Fabric on 7/16" fire retardant Duracore with edges wrapped	12'	1 lb.
3106	Full Rolls – Guilford of Maine FR701 Fabric only	Approximately 165'	1/8 lb.
3106A	Cut to Size – Guilford of Maine FR701 Fabric only	165'	1/8 lb.

Unmounted materials up to 120 lbs. and mounted panels up to 4' x 4' can ship UPS Ground. Freight Class 70.

Fabricork

Fabricork, in 4 distinct patterns – Viewpoint, Esquire, Linden, and Belair, is available in a wide range of colors. Superior in style and performance, Fabricork is long-lasting and easy to clean. Fabricork vinyl fabric (Koroseal®) is a product of RJF International.



See page 7 for color options

* Fire retardant Duracore backer board has a Class A Fire Rating per ASTM E84 as follows – Flame Spread 25, Smoke Developed 20

Features:

- Fabricork has a washable, stain resistant surface
- Vinyl coated fabric retains new appearance – wears indefinitely
- Vinyl fabric meets or exceeds Federal Specifications CCC-W-408A
- Available as fabric only, fabric mounted on cork underlay, and as mounted Fabricork tackboard panels

Standard Sizes:

- Fabricork panels are priced on the basis of 4' height and 1' increments in length.

Cutting Charge:

- A charge will be added for cutting to non-standard sizes – vertical and/or horizontal

Packing Charge:

- A packing charge will be added to orders for less than 200 sq. ft. of Fabricork panels (except 1500).

Options:

- Fabric covered H-Bar joints for joining 2 unframed panels. If required, specify (12' maximum length)
- C.O.M. vinyls approved for vertical surfaces can be used. See C.O.M. and special fabric note in Terms and Conditions.

Number	Description	Thickness	Max Length	Weight/sq. ft.
1380	Fabric on cork underlay on Duracore	1/2"	12'	1lb.
1380EW	1380 with edges wrapped	1/2"	12'	1lb.
1381FR	Fabric on flame retardant Duracore*	1/2"	12'	1lb.
1381FREW	1381 with edges wrapped	1/2"	12'	1lb.
1500 (Full Rolls)	Fabric on cork underlay	1/4"	80'	1/2 lb.
1500A	Fabric on cork underlay. Under 200 sq.ft.	1/4"	80'	1/2 lb.
1500B	Fabric on cork underlay. Over 200 sq.ft.	1/4"	80'	1/2 lb.
1499	Fabric only, no underlay		90'	1/8 lb.
1550	Fabric on cork underlay on Hardboard	1/2"	16'	1-1/2 lbs.
1550EW	1550 with edges wrapped	1/2"	16'	1-1/2 lbs.

Tan Nucork

Tan Nucork is a premium grade, fine grain natural tan composition cork. Nucork is dimensionally stable and has uniform density and particle size.



Note: Unmounted cork is shipped oversize for cutting to exact size on job.

Features:

- An economical tackboard surface, Tan Nucork is pure grain natural cork without burlap backing
- Nucork has a smooth, resilient surface ideal for use with pins or thumbtacks
- 150 FR Nucork has a Class B fire rating based on ASTM E84 tunnel test as follows: flame spread – 65; smoke developed – 70. Meets military specification MIL-C-15116, Type II
- Available unmounted - by the piece or in full rolls, and mounted on either duracore or hardboard
- Standard height is 4'; mounted nucork available in lengths up to 16', except 380A which is 12' maximum
- Full rolls are approximately 90' long. (Lengths of rolls vary. Billing based on actual square footage shipped.)

Cutting Charge:

- A charge will be added for cutting mounted Nucork to non-standard sizes – vertical and/or horizontal

Packing Charge:

- A packing charge will be added to orders for less than 200 sq. ft. of mounted Nucork.

Number	Description	Thickness	Backing	Weight
150	Full Rolls only	1/4"	None	1/4 lb.
150A	Under 200 sq. ft.	1/4"	None	1/4 lb.
150B	Over 200 sq. ft.	1/4"	None	1/4 lb.
150FR	Full Rolls only	1/4"	None	1/4 lb.
150FRA	Under 200 sq. ft.	1/4"	None	1/4 lb.
150FRB	Over 200 sq. ft.	1/4"	None	1/4 lb.
380A		1/16"	Duracore	3/4 lb.
550		1/4"	Hardboard	1/2 lb.

Unmounted materials up to 120 lbs. and mounted panels up to 4' x 4' can ship UPS Ground. Freight Class 70.


Hook-Fab

Hook-Fab is a hook-and-loop compatible non-woven fabric made from 100% nylon with polyester foam core and nylon tricot backing. Easily cut to size, Hook-Fab can be used with hook-and-loop fasteners, tacks or push pins. The low maintenance, stain resistant surface makes Hook-Fab ideal for any environment.



No. 930 Hook-Fab on cork underlay

No. 934 Hook-Fab on cork underlay on 1/4" hardboard



976 Black

Hooktape

Features:

- Hook-Fab can be used with hooktape as well as thumbtacks and pushpins.
- Offered in laminated panel form, fabric with cork underlay, or as fabric only
- Hook-Fab is renowned for its resistance to soil and staining and will not fade
- Lightweight and pliable, yet durable enough to stand up to heavy use, Hook-Fab combines good looks with superior performance

Standard Sizes:

- Hook-Fab panels (except 936 which is 55" wide) are priced on the basis of 4' height and 1' increments in length. No. 930 may be shipped oversize for cutting to actual size on job

Cutting Charge:

- A charge will be added for cutting mounted Hook-Fab to non-standard sizes – vertical and/or horizontal

Packing Charge:

- A packing charge will be added to orders for less than 200 sq. ft. of mounted Hook-Fab.

Note: Cutting Charge and Packing Charge do not apply to No. 936. No hanging devices are included with edge-wrapped material.

Number	Description	Max Length	Weight/sq. ft.
930	Fabric on cork underlay		
930A	Cut to Size – Less than 200 sq. ft.	16'	1/2 lb.
930B	Cut to Size – 200 sq. ft. or more	16'	1/2 lb.
934	Fabric on cork underlay on hardboard	16'	1-1/2 lbs.
934EW	934 with edges wrapped	16'	1-1/2 lbs.
935	Fabric on fire retardant Duracore	12'	1 lb.
935EW	935 with edges wrapped	12'	1 lb.
936	Hook-Fab fabric only – 55" wide	120'	1/16 lb.
937	Fabric on Duracore	12'	1 lb.
937EW	Fabric on Duracore with Edges Wrapped	12'	1 lb.
923	Self gripping Hooktape, pre-glued, pressure-sensitive back, available in 1" x 7' long rolls		


Frame Finishes

Frames available in aluminum or wood. Aluminum frames in satin anodize or Medium or Dark Bronze color anodize, powder coat in 302P Black and 314P Bronze, standard powder coat finishes, three textured finishes and five transparent powder coat finishes. Wood frames are available in a variety of finishes.

Wood Finishes



Aluminum Finishes




Powder Coat Finishes for Aluminum



Optional Textured Finishes



Optional Transparent Finishes



Colors are reproduced with reasonable accuracy. If match is critical, call or write for samples.

terms and conditions

DISCLAIMER – The Terms & Conditions below expressly set forth Claridge Products and Equipment, Inc.'s position and are not intended to be a full, comprehensive, and complete detail of each subject. Claridge reserves the right to alter, change, modify, expand, or discontinue any of the policies set forth below. Claridge further reserves the right to alter, change, modify, or discontinue its programs, policies, or relationship with any customer who violates Claridge's stated Terms & Conditions.

SPECIFICATION CHANGES

Claridge reserves the right to institute changes to material, parts, or design as well as to discontinue models, options, and/or parts without any prior notice. Price subject to change without notice.

ORDERS

All orders must be submitted in writing by US Mail, Fax, or E-mail. It is the Buyer's sole responsibility to check orders and their corresponding acknowledgments for accuracy. Minimum order of \$25.

ACKNOWLEDGMENTS & LEAD TIMES

Upon credit approval, orders will be manufactured and invoiced based upon the information on the acknowledgment. It is the Buyer's responsibility to notify Claridge of any acknowledgment discrepancies. Actual shipment dates may differ from acknowledged dates due to lack of credit approval. If an order is subject to a credit hold, it will be scheduled for shipment only after it is released from credit hold.

CPR (CLARIDGE PRIORITY RESPONSE)

Claridge offers three levels of CPR: (1) CPR Urgent – a guarantee that the order will ship within one week once Buyer agrees to CPR terms; (2) CPR Express – a guarantee that the order will ship within two weeks once CPR terms are accepted; and (3) CPR Standard – a guarantee that the order will ship within three weeks once terms are accepted. If Buyer's order is shipped late, Claridge pays a 10% penalty for every day the order ships late – up to the total cost of the material. Talk to a customer service representative for available options.

CHANGE ORDERS

Claridge reserves the right to apply additional charges to the invoice for orders revised after manufacturing has begun. All changes must be in writing.

TERMS

For credit approved customers, all merchandise will be invoiced when shipped, with standard terms of net 30 Days. The Buyer agrees that Claridge shall have the right to assess interest charges of 1.5% per month on invoices not paid and received by Claridge within terms. The Buyer further agrees that Claridge has the right to change terms, suspend shipments, or refuse orders from any delinquent account.

SECURITY

The Buyer agrees that Claridge maintains a security interest in all merchandise sold by it to the Buyer until all monies have been paid to Claridge for said merchandise.

CANCELLATION

All orders are considered firm and cannot be cancelled except by consent from Claridge. Claridge reserves the right to assess a Cancellation Fee of no more than 25%, or as negotiated, for any order cancelled by the Buyer.

FREIGHT POLICY

Every effort will be made to ship in accordance with customer requested freight carriers. Claridge is not responsible for damage in shipment when product is shipped on a third party or collect basis. In the event of visible freight damage, note damage on the freight bill and notify the carrier at once for inspection. Note that carriers require reports of damage within 5 days. Failure to report visible damage or loss is the consignee's responsibility. Concealed damage identified after 5 days from receipt is the sole responsibility of the consignee.

SHIP DATES & DELAYS

If Claridge cannot ship products as scheduled due to causes beyond their reasonable control (force majeure), the ship date will be extended to compensate for the delay as determined by Claridge.

REDELIVERY OF FREIGHT

Two weeks notice is required when redelivery of merchandise will be required, or the actual cost for freight, restocking and rehandling, and storage, if applicable, will be billed to the customer.

RETURNS

Many Claridge products are made-to-order and may not be returned. Claridge reserves the right to refuse return of custom-made or specialty merchandise. All approved returns must be prepaid by the Buyer and are subject to a restocking charge of no greater than 25%. Merchandise must be returned unused, and properly packaged in original shipping carton.

WARRANTY

Claridge porcelain enamel steel markerboard and chalkboard writing surfaces are guaranteed for the Life of the Building. Other product in Catalog carries a one year guarantee against defects in materials and workmanship.

CUSTOM PRODUCTS

Modifications to standard products are available. Contact the factory – or the Claridge location nearest you for quotations.

MATERIAL DISCLAIMER

Slight color variations may occur on surface materials. Claridge cannot be held responsible for reasonable variances.

C.O.M. & SPECIAL FABRICS DISCLAIMER

Claridge cannot be held responsible for special fabrics that, in our opinion, would create unsatisfactory results for the intended application using normal manufacturing methods. Sampling may be required. All inquiries and correspondence should be directed to: Claridge Products and Equipment, Inc.

805 Cottonwood Road, Annex 3, Harrison, AR 72601
Phone: 870-743-2200 Toll Free: 800-434-4610
Fax: 870-743-1908
E-mail: claridge@claridgeproducts.com

Talk to a Claridge writing surface expert today to learn how we turn workspaces into idea places.

